

# 10551671\_QUESTIONS

Titles of most frequently occurring classifications of patents returned from a search of 10551671 on Nov 07, 2008

- 4 375/E7.081 (0 OR, 4 XR)  
Class 375 PULSE OR DIGITAL COMMUNICATIONS  
375/E7.001 SYSTEMS FOR THE TRANSMISSION OF TELEVISION SIGNALS USING PULSE CODE MODULATION (EPO)  
375/E7.026 ..Using bandwidth reduction; source coding or decoding of digital video signal, e.g., digital video signal compression; Pre- or postprocessing therefor (EPO)  
375/E7.076 ...Involving video objects (EPO)  
375/E7.081 ....Shape coding therefor (EPO)
- 3 382/174 (2 OR, 1 XR)  
Class 382 IMAGE ANALYSIS  
382/173 IMAGE SEGMENTATION  
382/174 ..Using projections (i.e., shadow or profile of characters)
- 3 345/441 (0 OR, 3 XR)  
SYSTEMS Class 345 COMPUTER GRAPHICS PROCESSING AND SELECTIVE VISUAL DISPLAY  
345/418 .COMPUTER GRAPHICS PROCESSING  
345/441 ..Shape generating
- 3 345/419 (1 OR, 2 XR)  
SYSTEMS Class 345 COMPUTER GRAPHICS PROCESSING AND SELECTIVE VISUAL DISPLAY  
345/418 .COMPUTER GRAPHICS PROCESSING  
345/419 ..Three-dimensional
- 3 382/177 (2 OR, 1 XR)  
Class 382 IMAGE ANALYSIS  
382/173 IMAGE SEGMENTATION  
382/177 ..Segmenting individual characters or words
- 3 382/203 (0 OR, 3 XR)  
Class 382 IMAGE ANALYSIS  
382/181 .PATTERN RECOGNITION  
382/190 ..Feature extraction  
382/195 ...Local or regional features  
382/203 ....Shape and form analysis
- 3 382/154 (3 OR, 0 XR)  
Class 382 IMAGE ANALYSIS  
382/100 .APPLICATIONS  
382/154 ..3-D or stereo imaging analysis
- 3 348/E13.005 (0 OR, 3 XR)  
Class 348 TELEVISION  
348/E13.001 .STEREOSCOPIC TELEVISION SYSTEMS; DETAILS THEREOF (EPO)  
348/E13.002 ..Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance (EPO)  
348/E13.003 ...Stereoscopic image signal generation (EPO)  
348/E13.004 ....Using a stereoscopic image camera (EPO)  
348/E13.005 .....Having a single 2D image pickup sensor (EPO)
- 3 348/E13.014 (0 OR, 3 XR)  
Class 348 TELEVISION  
348/E13.001 .STEREOSCOPIC TELEVISION SYSTEMS; DETAILS THEREOF (EPO)  
348/E13.002 ..Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations

representing the interocular distance (EPO)

348/E13.003 ... Stereoscopic image signal generation (EPO)

348/E13.004 ... Using a stereoscopic image camera (EPO)

348/E13.014 ... Having two 2D image pickup sensors representing the interocular distance (EPO)

### 3 348/E13.015 (0 OR 3 XR)

Class 348 TELEVISION

348/E13.001 ... STEREOSCOPIC TELEVISION SYSTEMS; DETAILS THEREOF (EPO)

348/E13.002 ... Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance (EPO)

348/E13.003 ... Stereoscopic image signal generation (EPO)

348/E13.004 ... Using a stereoscopic image camera (EPO)

348/E13.015 ... Having more than two 2D image pickup sensors (EPO)

### 3 348/E13.016 (0 OR 3 XR)

Class 348 TELEVISION

348/E13.001 ... STEREOSCOPIC TELEVISION SYSTEMS; DETAILS THEREOF (EPO)

348/E13.002 ... Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance (EPO)

348/E13.003 ... Stereoscopic image signal generation (EPO)

348/E13.004 ... Using a stereoscopic image camera (EPO)

348/E13.016 ... Calibration aspects (EPO)

### 3 348/E13.018 (0 OR 3 XR)

Class 348 TELEVISION

348/E13.001 ... STEREOSCOPIC TELEVISION SYSTEMS; DETAILS THEREOF (EPO)

348/E13.002 ... Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance (EPO)

348/E13.003 ... Stereoscopic image signal generation (EPO)

348/E13.004 ... Using a stereoscopic image camera (EPO)

348/E13.018 ... In combination with an electromagnetic radiation source for illuminating the subject (EPO)

### 3 348/E13.019 (0 OR 3 XR)

Class 348 TELEVISION

348/E13.001 ... STEREOSCOPIC TELEVISION SYSTEMS; DETAILS THEREOF (EPO)

348/E13.002 ... Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance (EPO)

348/E13.003 ... Stereoscopic image signal generation (EPO)

348/E13.019 ... Color aspects (EPO)

### 3 348/E13.025 (0 OR 3 XR)

Class 348 TELEVISION

348/E13.001 ... STEREOSCOPIC TELEVISION SYSTEMS; DETAILS THEREOF (EPO)

348/E13.002 ... Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance (EPO)

348/E13.003 ... Stereoscopic image signal generation (EPO)

348/E13.025 ... Synchronization or controlling aspects (EPO)

### 3 348/E13.061 (0 OR 3 XR)

Class 348 TELEVISION

348/E13.001 ... STEREOSCOPIC TELEVISION SYSTEMS; DETAILS THEREOF (EPO)

348/E13.002 ... Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance (EPO)

348/E13.061 ... Stereoscopic image signal coding, multiplexing,

processing, recording or transmission (EPO)

348/ E13.061 . . . . Color aspects (EPO)

## 3 348/ E13.062 (0 OR 3 XR)

Class 348 TELEVISION

348/ E13.001 . . STEREOSCOPIC TELEVISION SYSTEMS; DETAILS THEREOF (EPO)

348/ E13.002 . . Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance (EPO)

348/ E13.06 . . . Stereoscopic image signal coding, multiplexing, processing, recording or transmission (EPO)

348/ E13.062 . . . . Coding or decoding stereoscopic image signals (EPO)

## 3 348/ E13.071 (0 OR 3 XR)

Class 348 TELEVISION

348/ E13.001 . . STEREOSCOPIC TELEVISION SYSTEMS; DETAILS THEREOF (EPO)

348/ E13.002 . . Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance (EPO)

348/ E13.06 . . . Stereoscopic image signal coding, multiplexing, processing, recording or transmission (EPO)

348/ E13.071 . . . . Transmission of stereoscopic image signals (EPO)

## 2 382/ 242 (1 OR 1 XR)

Class 382 IMAGE ANALYSIS

382/ 232 . . IMAGE COMPRESSION OR CODING

382/ 242 . . Contour or chain coding (e.g., Bezier)

## 2 382/ 241 (1 OR 1 XR)

Class 382 IMAGE ANALYSIS

382/ 232 . . IMAGE COMPRESSION OR CODING

382/ 241 . . Polygonal approximation

## 2 382/ 238 (0 OR 2 XR)

Class 382 IMAGE ANALYSIS

382/ 232 . . IMAGE COMPRESSION OR CODING

382/ 238 . . Predictive coding

## 2 295/ 11 (1 OR 1 XR)

Class 295 RAILWAY WHEELS AND AXLES

295/ 1 . . WHEELS

295/ 11 . . Tire cushions

## 2 295/ 15 (1 OR 1 XR)

Class 295 RAILWAY WHEELS AND AXLES

295/ 1 . . WHEELS

295/ 15 . . Tire fasteners

## 2 295/ 21 (0 OR 2 XR)

Class 295 RAILWAY WHEELS AND AXLES

295/ 1 . . WHEELS

295/ 21 . . Webs

## 2 295/ 44 (0 OR 2 XR)

Class 295 RAILWAY WHEELS AND AXLES

295/ 44 . . LOOSE WHEEL

## 2 382/ 151 (2 OR 0 XR)

Class 382 IMAGE ANALYSIS

382/ 100 . . APPLICATIONS

382/ 141 . . Manufacturing or product inspection

382/ 145 . . Inspection of semiconductor device or printed circuit

board

382/ 151 . . . . Alignment, registration, or position determination

# 10551671\_CLSTILES

- 2 382/291 (0 OR 2 XR)  
 Class 382 IMAGE ANALYSIS  
 382/276 IMAGE TRANSFORMATION OR PREPROCESSING  
 382/286 ..Measuring image properties (e.g., length, width, or area)  
 382/291 ...Determining the position of an object
- 2 700/187 (1 OR 1 XR)  
 Class 700 DATA PROCESSING: GENERAL CONTROL SYSTEMS OR SPECIFIC APPLICATIONS  
 700/90 ..SPECIFIC APPLICATION, APPARATUS OR PROCESS  
 700/95 ..Product assembly or manufacturing  
 700/117 ...Particular manufactured product or operation  
 700/159 ....Machining  
 700/186 .....Digital positioning technique  
 700/187 .....For curve or contour
- 2 382/289 (0 OR 2 XR)  
 Class 382 IMAGE ANALYSIS  
 382/276 IMAGE TRANSFORMATION OR PREPROCESSING  
 382/286 ..Measuring image properties (e.g., length, width, or area)  
 382/289 ...Determining amount an image is rotated or skewed
- 2 345/471 (1 OR 1 XR)  
 Class 345 COMPUTER GRAPHICS PROCESSING AND SELECTIVE VISUAL DISPLAY SYSTEMS  
 345/418 ..COMPUTER GRAPHICS PROCESSING  
 345/467 ..Character generating  
 345/471 ...Alteration of stored font
- 2 382/199 (1 OR 1 XR)  
 Class 382 IMAGE ANALYSIS  
 382/181 ..PATTERN RECOGNITION  
 382/190 ..Feature extraction  
 382/195 ...Local or regional features  
 382/199 ....Pattern boundary and edge measurements
- 2 345/468 (2 OR 0 XR)  
 Class 345 COMPUTER GRAPHICS PROCESSING AND SELECTIVE VISUAL DISPLAY SYSTEMS  
 345/418 ..COMPUTER GRAPHICS PROCESSING  
 345/467 ..Character generating  
 345/468 ...Character geometry processing
- 2 250/559.23 (0 OR 2 XR)  
 Class 250 RADIANT ENERGY  
 250/200 ..PHOTOCELLS; CIRCUITS AND APPARATUS  
 250/559.01 ..With circuit for evaluating a web, strand, strip, or sheet  
 250/559.19 ...Measuring dimensions  
 250/559.22 ....Profile  
 250/559.23 .....With triangulation